

DMD
COLLECTIVE

DMD203

2L Dehumidifier

Information for use



Introduction


The DMD 2L Dehumidifier is designed to help reduce excess moisture from indoor air. It uses a Peltier cooling element and a DC brushless fan to draw air through the unit and collect moisture in the removable water tank.

Please read through ALL the information in this document and keep it for future reference. Always follow the safety guidance in this manual to reduce the risk of injury, electric shock, fire or damage.

Health and Safety Guidelines

- Always unplug the unit when not in use, before cleaning, or when adding or removing parts. Please read the instructions carefully before using any appliance.
- Always ensure that the voltage on the rating label corresponds to the mains voltage in your home.
- Incorrect operation and improper use can damage the appliance and cause injury to the user.
- The appliance is intended for household use only. Commercial use invalidates the warranty, and the supplier cannot be held responsible for injury or damage caused when using the appliance for any other purpose than that intended.
- Check the power cord and adapter regularly for any damage. The cord or adapter will need to be replaced if it is damaged.
- Do not use the appliance if it has been dropped or damaged in any way. If the unit is damaged, take it in for examination and/or repair by an authorized service agent.
- To reduce the risk of electric shock, do not immerse or expose the assembly, adapter, or cord to water or any other liquid.
- Never immerse the unit in water or any other liquid for cleaning purposes. Do not reach for an appliance that has fallen into the water. Unplug immediately.
- Remove the adapter from the socket by gripping the plug. Do not pull on the cord to disconnect the appliance from the mains.
- Injury, fire, or electric shock could result from the use of accessory attachments that the manufacturer has not approved or supplied.
- Do not let the cord hang over the edge of a table or counter.
- Ensure that the cord is not in a position where it can be pulled inadvertently.
- Do not allow the cord to touch hot surfaces, and do not place it on or near a hot gas or electric burner or a heated oven. Do not place the unit on a hot surface.
- This appliance is not suitable for outdoor use. Do not use this appliance for anything other than its intended purpose.
- Do NOT carry the unit by the power cord.
- Do not leave this appliance unattended during use. An appliance should never be left unattended when plugged in.
- The manufacturer does not accept responsibility for any damage or injury caused by improper or incorrect use or for repairs carried out by unauthorised personnel.
- In the event of technical problems, switch off the appliance and do not attempt to repair it yourself. Return the appliance to an authorised service facility for examination, adjustment, or repair.
- Always insist on the use of original spare parts. Failure to comply with the above-mentioned precautions and instructions will affect the safe operation of this machine.
- We do not recommend using extension cords with this product.
- Keep the appliance upright during operation and storage.
- Do not block the air inlet or air outlet.
- Always use the supplied power adaptor.

Product Overview



Before First Use

1. Remove all packaging materials.
2. Check that the appliance, water tank, cable and adaptor are not damaged.
3. Place the appliance on a flat, stable and dry surface.
4. Ensure the air inlet and air outlet are not blocked.
5. Make sure the water tank is correctly fitted into the appliance.
6. Connect the DC plug to the DC power socket on the appliance.
7. Connect the power adaptor to a suitable mains socket.

Operating Instructions

1. Connect the DC power plug to the DC power socket of the appliance.
2. Connect the AC power plug to a suitable mains power supply.
3. The appliance will enter standby mode. The power button will illuminate.
4. Press the power button once to start dehumidifying.
5. When operating, the indicator light will illuminate and the dehumidifier will begin collecting moisture.

RGB Light Operation

1. After switching on the appliance, the default seven-colour gradient light will illuminate.
2. Press the Power button gently to select or set the colour of the light.
3. Press the Power button gently again to turn off the light.
4. Press the Power button gently again to turn off the dehumidifier.
5. Press the Power button again to switch dehumidifier back on with the light enabled.

Water Tank Full Indicator

When the water tank is full, the appliance will stop operating automatically. The RGB colour-changing light in the water tank will flash red and the water full indicator will illuminate.

Emptying the Water Tank

1. Switch off the appliance.
2. Disconnect the power adaptor from the mains supply.
3. Remove the water tank from the appliance.
4. Empty the water from the tank.
5. If required, clean the inside of the water tank.
6. Refit the water tank securely into the correct position.
7. Restart the appliance if further dehumidifying is required.

Care & Maintenance

- Switch off and unplug the appliance before cleaning.
- Empty the water tank regularly.
- Wipe the exterior with a soft, dry or slightly damp cloth.
- Do not use abrasive cleaners, solvents or harsh chemicals.
- Keep the air inlet and air outlet free from dust and obstruction.
- Ensure the water tank is fully dry before long-term storage.

Troubleshooting

Problem	Cause	Solution
The appliance does not start	The power adaptor is not connected correctly	Check that the DC plug and AC plug are securely connected
The appliance is running but little or no water is collected	The room temperature or humidity may be too low	Use the appliance in an environment above 15°C and above 40% RH
The appliance stops during use	The water tank is full	Empty and refit the water tank
The red light flashes	The water tank is full	Empty the water tank and refit it correctly
The appliance is noisy or unstable	The appliance is not on a flat surface	Place the appliance on a flat, stable surface

Technical Support

If you require any technical support for your product within the warranty period, please contact us on **support@dmdcollective.co.uk** and provide the product name and supplier code (see Technical Specifications) along with the technical query and proof of purchase.

WEEE



The WEEE symbol  on this product means that this unit should be ethically dismantled or recycled to minimise environmental impact. Please check with your local authority for more information.

IMPORTANT: ADDITIONAL SAFETY INFORMATION

Warning: This product is not intended for use by children or individuals with reduced physical, sensory, or mental capabilities unless supervised by a responsible adult. Small parts may present a choking hazard. Always keep out of reach of children.

Technical Specifications

Product Name:	2L Dehumidifier
Supplier Code:	DMD203
Voltage:	220-240V~50Hz
Capacity:	Approximately 300ml/day at 30°C, 80% RH
Cooling Element:	Peltier module
Fan:	80mm x 80mm DC brushless motor
Power adaptor:	9V DC 2.5A
Water tank capacity:	2L
Wattage:	22.5W
Working environment:	Over 15°C and over 40% RH



Ace Supply Co Ltd.,
Suite GA, Marsland House,
Marsland Road, Sale M33 3AQ

For Product Support:
support@dmdcollective.co.uk

EU Regd. Address:
Ace Supply Co (Europe) Ltd.,
Dublin 2, D02 A098, ROI

www.dmdcollective.co.uk